





	MedDRA Can You Select the Primary SOC for This PT?							
	PT	HLT	HLGT	SOC				
	Congenital HIV infection	Viral infections congenital	Infections and infestations congenital	Congenital, familial and genetic disorders				
		Congenital neonatal infections	Neonatal and perinatal conditions	Pregnancy, puerperium and perinatal conditions				
		Retroviral infections	Viral infectious disorders	Infections and infestations				
		Acquired immunodeficiency syndromes	Immunodeficiency syndromes	Immune system disorders				
C	00603			28				













	g Changes (cont)
Add a New PT Proposed PT (Required) * Gecond degree chemical burns of skin Primary HLT (Optional) Chemical injuies Primary SOC (Optional) Injury, poisoning and procedural complications Secondary HLT (Optional) Demattis ascribed to specific agent Secondary SOC (Optional) Ekin and subcutaneous tissue disorders Justification statement is required Justification statement is required Please consider including the gradation of chemical burns similar to the gradation of thermal burns under HLT Thermal burns to assist with coding and analysis.	 Sample entry for a new PT in WebCR Justification and supporting documentation is important to help MSSO understand the need
Attach supporting document (Optional) Attachment C:\Usersia804733\Desktop\SupportingInforma Browse	3



















































MedDRA Exercise 2
Lab results indicate an increase in erythrocytes.
$_$ LLT \rightarrow $_$ PT
000603































Med	DRA				
QA Sar	nple Repo	rt			
SOC	HLT	PT	Verbatim	Count	
Respiratory, th	horacic and mediasti	nal disorders			
	Bronchospa	asm and obstr	ruction		
		Whe	ezing		
			WHEEZING	16	
			Wheeze	5	
			INCREASED WHEEZING	1	
			Breathing suppressed wheezing	1	
			HYPERREACTIVITY AND WHEEZING	1	
			wheeze in chest	1	
	Laryngeal a	,	ites disorders NEC (excl infections and neopla		
		Voca	al cord disorder		
			SPASMODIC DYSTONIA OF THE VOCAL CORDS	1	
	Newborn re	spiratory diso	rders NEC		
		Tran	sient tachypnoea of the newborn		
		C	Transient hazy vision	1	
			Transient tachypnea, neonatal	1	
			Tachypnea of the newborn, transient	1	


















PtC Category	PtC Document	Purpose	Languages	Release Cycle
Term Selection	MedDRA Term Selection: Points to Consider	Promote accurate and consistent coding with MedDRA	English, Japanese, Chinese, Korean, and Spanish	Updated annually with the March release of MedDRA
	MedDRA Term Selection: Points to Consider Condensed Version	Shorter version focusing on general coding principles to promote accurate and consistent use of MedDRA worldwide	All MedDRA languages (except English, Japanese, and other languages with an available translation of the full MTS:PTC document)	Update as needed
Data Retrieval	MedDRA Data	Demonstrate how data	English, Japanese, Chinese,	Updated annually
and Presentation	Retrieval and Presentation: Points to Consider	retrieval options impact the accuracy and consistency of data output	Korean, and Spanish	with the March release of MedDRA
	MedDRA Data Retrieval and Presentation: Points to Consider Condensed Version	Shorter version focusing on general retrieval and analysis principles to promote accurate and consistent use of MedDRA worldwide	All MedDRA languages (except English, Japanese, and other languages with an available translation of the full DRP:PTC document)	Update as needed


М	edDRA	PtC Documen	ts (c	ont)
PtC Category	PtC Document	Purpose	Languages	Release Cycle
General	MedDRA Points to Consider Companion Document	More detailed information, examples, and guidance on specific topics of regulatory importance. Intended as a "living" document with updates based on users' needs. First edition covered data quality and medication errors. Updated in July 2020 (Release 1.1). Release 2.0 in October 2020 included new section on product quality issues. Another new section on manufacturing product quality issues is being drafted.	English and Japanese	Updated as needed
000603				



















•		o Not Add In		
	Reported	LLT Selected	Comment	
		Abdominal pain		
	Abdominal pain, increased serum amylase, and increased	Serum amylase increased	It is inappropriate to assign an LLT for diagnosis of	
	serum lipase	Lipase increased	"pancreatitis"	
000603				













	oses and onal Diagnoses	
SINGLE	DIAGNOSIS	
DEFINITIVE DIAGNOSIS	PROVISIONAL DIAGNOSIS	
Single diagnosis without signs and symptoms	Single provisional diagnosis without signs and symptoms	
•Diagnosis (only possible option)	•Provisional diagnosis (only possible option)	
Example: <i>"Myocardial infarction</i> " → select <i>"Myocardial infarction</i> "	Example: "Possible myocardial infarction" → select "Myocardial infarction" (select term as if definitive diagnosis)	
000603	Similar principles apply for multiple diagnoses	

	MedDRA	•	es and Provisional es (cont)	
		SINGLE D	IAGNOSIS	
	DEFINITIVE	DIAGNOSIS	PROVISIONAL DIAGNOSIS	
	Single diagnosis wi symptoms	th signs/	Single provisional diagnosis with signs/symptoms	
	•Preferred: Diagnos	sis only	•Preferred: Provisional diagnosis and signs/symptoms	
	Example: "Anaphyl rash, dyspnoea, hy laryngospasm" → s "Anaphylactic react	potension, and select	Example: "Possible myocardial infarction with chest pain, dyspnoea, diaphoresis" → select "Myocardial infarction" "Chest pain", "Dyspnoea", and "Diaphoresis"	
000603		TÌ	Similar principles apply for multiple diagnoses	5 84


MedDRA		es and Provisional es (cont)	
	SINGLE D	IAGNOSIS	
DEFINITIVE D	DIAGNOSIS	PROVISIONAL DIAGNOSIS	
Single diagnosis with symptoms	n signs/	Single provisional diagnosis with signs/symptoms	
•Alternate: Diagnosis signs/symptoms	s and	•Alternate: Signs/symptoms only (as provisional diagnosis may change)	
Example: "Anaphyla rash, dyspnoea, hyp laryngospasm" → se "Anaphylactic reactio "Dyspnoea", Hypote "Laryngospasm"	otension, and elect on", "Rash",	Example: "Possible myocardial infarction with chest pain, dyspnoea, diaphoresis" → select "Chest pain", "Dyspnoea", and "Diaphoresis"	
000603	Ţ	Similar principles apply for multiple diagnoses	85







MedDRAFirst, try to	In	onflicting/Ar formation	C C	
Reported		LLT Selected	Comment	1
Hyperkalaemia w serum potassium o mEq/L		Serum potassium abnormal	LLT Serum potassium abnormal covers both of the reported concepts (note: serum potassium of 1.6 mEq/L is a low result, not high)	
GU pain		Pain	"GU" could be either "genito-urinary" or "gastric ulcer". If additional information is not available, then select a term to reflect the information that is known, i.e., LLT Pain	
000603	1			8

	ague Informa ain more specific ir	
Reported	LLT Selected	Comment
Turned green	Unevaluable event	"Turned green" reported alone is vague; this could refer to a patient condition or even to a product (e.g., pills)
Patient had a medical problem of unclear type	III-defined disorder	Since it is known that there is some form of a medical disorder, LLT ///- defined disorder can be selected
000603		111



MedDRA Combination Terms One condition is more specific than the other					
Reported		LLT Selected			
Arrhythmia due to atrial	fibrillation	Atrial fibrillation			
Hepatic function dis (acute hepatitis		Hepatitis acute			
A MedDRA com	binatio	n term is available			
Reported		LLT Selected			
Retinopathy due to dia	abetes	Diabetic retinopathy			
Rash with itchin	g	Itchy rash			
Breast cancer (HER2 p	oositive)	HER2 positive breast cancer			
000603			91		







		nvestigation		
	Reported	LLT Selected	Comment	
	Hypoglycaemia	Hypoglycaemia	LLT Hypoglycaemia links to SOC Metabolism and nutrition disorders	
	Decreased glucose	Glucose decreased	LLT Glucose decreased links to SOC Investigations	
000603				

•		vestigation		
	Reported	LLT Selected	Comment	
	Glucose 40 mg/dL	Glucose low	Glucose is clearly below the reference range	
• /	Ambiguous inve	stigation result		
	Reported	LLT Selected	Comment	
	His glucose was 40	Glucose abnormal	No units have been reported. Select LLT <i>Glucose abnormal</i> if clarification cannot be obtained.	
000603				9

•	MedDRA In Investigation res	vestigations		
	Reported	LLT Selected	Comment	
	Elevated potassium, K 7.0 mmol/L, and hyperkalaemia	Hyperkalaemia	It is not necessary to select LLT <i>Potassium increased</i>	
•	Grouped investig	gation result terr	ns	
	Reported	LLT Selected	Comment	
	Increased alkaline phosphatase, increased SGPT, increased SGOT and elevated LDH	Alkaline phosphatase increased SGPT increased SGOT increased LDH increased	Select four individual terms. A single term such as LLT <i>Liver</i> <i>function tests</i> <i>abnormal</i> should not be selected.	
000603				96








MedDRA Medication Errors (cont) Medication error with clinical consequences				
Reported	LLT Selected	Comment		
Patient was administered wrong drug and experienced hypotension	Wrong drug administered Hypotension			
Insulin was given using the wrong syringe resulting in the administration of an overdose. The patient developed hypoglycaemia.	Drug administered in wrong device Accidental overdose Hypoglycaemia	If an overdose is reported in the context of a medication error, the more specific term <i>LLT</i> <i>Accidental overdose</i> can be selected		
000603			9	


		Medication	× ×	
•		Or <u>without</u> clinic	Preferred Option	S
	Medication was given intravenously instead of intramuscularly without any adverse effect	Intramuscular formulation administered by	1	
000603		No adverse effect		100


•	Important to r medication err Unlikely to be	ortant to record potential occurrence of				
	Reported	LLT Selected	Comment			
0008	Pharmacist notices that the names of two drugs look similar and is concerned that this ma result in a medication error	Circumstance or y information capable of	Note: this example is a potential medication error. LLT <i>Drug name look-alike</i> provides additional information about the nature of the potential medication error, and LLT <i>Circumstance</i> or information capable of <i>leading to medication error</i> indicates that there is a potential medication error.			























Concept	Intentional?	By Whom?	Therapeutic Use?	Additional Sections in this
				Document
Misuse	Yes	Patient/consumer	Yes*	3.16.1
Abuse	Yes	Patient/consumer	No	3.16.2
Addiction	Yes	Patient/consumer	No	3.16.3
Medication error	No	Patient/consumer or healthcare provider	Yes	3.15
Off label use	Yes	Healthcare provider	Yes	3.27
therap		may not always includ se may be similar to tl		

