




	Can You Select the Primary SOC for This PT						
	PT	HLT	HLGT	SOC			
	Congenital HIV infection	Viral infections congenital	Infections and infestations congenital	Congenital, familial and genetic disorders			
		Congenital neonatal infections	Neonatal and perinatal conditions	Pregnancy, puerperium and perinatal conditions			
		Retroviral infections	Viral infectious disorders	Infections and infestations			
		Acquired immunodeficiency syndromes	Immunodeficiency syndromes	Immune system disorders			
C	00681			28			












MedDRA Submitting	g Changes (cont
Add a New PT  Proposed PT (Required)  Second degree chemical burns of skin  Primary HLT (Optional)  Chemical injules  Primary SOC (Optional)  Dermatitis ascribed to specific agent  Secondary HLT (Optional)  Dermatitis ascribed to specific agent  Secondary SOC (Optional)  Skin and subcutaneous tissue disorders	<ul> <li>Sample entry for a new PT in WebCR</li> <li>Justification and supporting documentation is important to below</li> </ul>
Justification statement is required Justification ③ Please consider including the gradation of chemical burns similar to the gradation of thermal burns under HLT Thermal ^ burns to assist with coding and analysis.	important to help MSSO understand the need
Attach supporting document (Optional) Attachment C:(Usersis804733)DesktopiSupportingInforms Browse	











MedD	RA MedDRA Vers Analysis Tool	ion
MedDRA Version Analysis Tool MVAT)  Version Registry Conception  Default Office States to Compare  Default Office States to Compare  Default Office States of Compare  Default Office States of Compare  National States of Compar		Priorital Lengung Tom Nation Market Sauer Harr Catago Sauer Harr Catago Sauer Harr Catago Sauer Harr Catago
000681		








































































Med	DRA			
04 52	mple Repo	rt		
SOC	HLT	PT	Verbatim	Count
Respiratory, t	horacic and mediasti	nal disorders		
	Bronchosp	asm and obstr	ruction	
		Whe	ezing	
			WHEEZING	16
			Wheeze	5
			INCREASED WHEEZING	1
			Breathing suppressed wheezing	1
			HYPERREACTIVITY AND WHEEZING	1
			wheeze in chest	1
	Laryngeal a		ites disorders NEC (excl infections and neopla	
		Voca	l cord disorder	
			SPASMODIC DYSTONIA OF THE VOCAL CORDS	1
	Newborn re	spiratory disor	rders NEC	
		Trans	sient tachypnoea of the newborn	
		<	Transient hazy vision	1
			Transient tachypnea, neonatal	1
			Tachypnea of the newborn, transient	1


















PtC Category	PtC Document	Purpose	Languages	Release Cycle
Term Selection	MedDRA Term Selection: Points to Consider	Promote accurate and consistent coding with MedDRA	English, Japanese, Chinese, Russian, Korean, and Spanish	Updated annually with the March release of MedDRA
	MedDRA Term Selection: Points to Consider Condensed Version	Shorter version focusing on general coding principles to promote accurate and consistent use of MedDRA worldwide	All MedDRA languages (except English, Japanese, and other languages with an available translation of the full MTS:PTC document)	Update as needed
Data Retrieval	MedDRA Data	Demonstrate how data	English, Japanese, Chinese,	Updated annually
and Presentation	Retrieval and Presentation: Points to Consider	retrieval options impact the accuracy and consistency of data output	Russian, Korean, and Spanish	with the March release of MedDRA
	MedDRA Data Retrieval and Presentation: Points to Consider Condensed Version	Shorter version focusing on general retrieval and analysis principles to promote accurate and consistent use of MedDRA worldwide	All MedDRA languages (except English, Japanese, and other languages with an available translation of the full DRP:PTC document)	Update as needed


PtC Category         PtC Document         Purpose         Languages         Release Cycle           General         MedDRA Points to Consider         More detailed information, examples, and guidance on specific topics of regulatory importance. Intended as a "living" document with updates based on users' needs. First edition covered data quality and medication errors. Updated in July 2020 (Release 1.1). Release 2.0 in October 2020 included a section on product quality issues.         Updated as needed	M	IedDRA	PtC Documents	s (cor	nt)
General         MedDRA Points to Consider         More detailed information, examples, and guidance on specific topics of regulatory importance. Intended as a "living"         English and Japanese         Updated as needed           Document         document with updates based on users' needs. First edition covered data quality and medication errors. Updated in July 2020 (Release 1.1). Release 2.0 in October 2020 included a section on         Updated as needed	PtC Category	PtC Document	Purpose	Languages	Release Cycle
	General	Consider Companion	guidance on specific topics of regulatory importance. Intended as a "living" document with updates based on users' needs. First edition covered data quality and medication errors. Updated in July 2020 (Release 1.1). Release 2.0 in October 2020 included a section on	, v	Updated as needed
			product quality issues.		11



















• Do not make diagn	o Not Add In	
Reported	LLT Selected	Comment
	Abdominal pain	
Abdominal pain, increased serum amylase, and increased	Serum amylase increased	It is inappropriate to assign an LLT for diagnosis of
serum lipase	Lipase increased	"pancreatitis"
81		













	MedDRA Diagnoses and Provisional Diagnoses			
S	SINGLE DIAGNOSIS			
DEFINITIVE DIAGNOS	SIS PROVISIONAL DIAGNOSIS			
Single diagnosis without sign symptoms	gns and Single provisional diagnosis without signs and symptoms			
•Diagnosis (only possible op	ption) •Provisional diagnosis (only possible option)			
Example: "Myocardial infarc select "Myocardial infarction				
000681	Similar principles apply for multiple diagnoses	8		

	MedDRA Diagnoses and Provisional Diagnoses (cont)				
		SINGLE D	IAGNOSIS		
	DEFINITIVE	DIAGNOSIS	PROVISIONAL DIAGNOSIS		
	Single diagnosis wi symptoms	th signs/	Single provisional diagnosis with signs/symptoms		
	Preferred: Diagnos	sis only	•Preferred: Provisional diagnosis and signs/symptoms		
	Example: "Anaphyl rash, dyspnoea, hy laryngospasm" → s "Anaphylactic react	potension, and elect	Example: "Possible myocardial infarction with chest pain, dyspnoea, diaphoresis" → select "Myocardial infarction" "Chest pain", "Dyspnoea", and "Diaphoresis"		
000681		Tì.	Similar principles apply for multiple diagnoses	84	


MedDRA	MedDRA Diagnoses and Provisional Diagnoses (cont)				
	SINGLE D	IAGNOSIS			
DEFINITIVE	DIAGNOSIS	PROVISIONAL DIAGNOSIS			
Single diagnosis wit symptoms	h signs/	Single provisional diagnosis with signs/symptoms			
•Alternate: Diagnosi signs/symptoms	s and	•Alternate: Signs/symptoms only (as provisional diagnosis may change)			
Example: "Anaphyla rash, dyspnoea, hyp laryngospasm" → se "Anaphylactic reacti "Dyspnoea", Hypote "Laryngospasm"	ootension, and elect on", "Rash",	Example: "Possible myocardial infarction with chest pain, dyspnoea, diaphoresis" → select "Chest pain", "Dyspnoea", and "Diaphoresis"			
000681	Ţ.	Similar principles apply for multiple diagnoses	85		







(	<ul> <li>MedDRA</li> <li>Conflicting/Ambiguous Information</li> <li>First, try to obtain more specific information</li> </ul>					
	Reported	LLT Selected	Comment			
	Hyperkalaemia with serum potassium of 1 mEq/L	Serum potassium	LLT Serum potassium abnormal covers both of the reported concepts (note: serum potassium of 1.6 mEq/L is a low result, not high)			
	GU pain Pain "GU" could be either "genito-urinary" or "gastric ulcer". If additional information is not available, then select a term to reflect the information that is known, i.e., LLT Pain					
00068	000681					

•	MedDRA Vague Information     First, try to obtain more specific information			
	Reported	LLT Selected	Comment	
	Turned green	Unevaluable event	"Turned green" reported alone is vague; this could refer to a patient condition or even to a product (e.g., pills)	
	Patient had a medical problem of unclear type	III-defined disorder	Since it is known that there is some form of a medical disorder, LLT <i>III-</i> <i>defined disorder</i> can be <u>selected</u>	
00068	31			




MedDRA Combination Terms     One condition is more specific than the other				
	Reported	LLT Selected		
	Arrhythmia due to atrial fibrillation	Atrial fibrillation		
	Hepatic function disorder (acute hepatitis)	Hepatitis acute		
•	A MedDRA combination	n term is available		
	Reported	LLT Selected		
	Retinopathy due to diabetes	Diabetic retinopathy		
	Rash with itching	Itchy rash		
	Breast cancer (HER2 positive)	HER2 positive breast cancer		
00068	1		91	







	MedDRA     Investigations     Medical condition vs. investigation result			
	Reported	LLT Selected	Comment	
	Hypoglycaemia	Hypoglycaemia	LLT Hypoglycaemia links to SOC Metabolism and nutrition disorders	
	Decreased glucose	Glucose decreased	LLT Glucose decreased links to SOC Investigations	
0006	000681 94			

•		vestigation		
	Reported	LLT Selected	Comment	
	Glucose 40 mg/dL	Glucose low	Glucose is clearly below the reference range	
• /	Ambiguous inve	stigation result		_
	Reported	LLT Selected	Comment	
	His glucose was 40	Glucose abnormal	No units have been reported. Select LLT <i>Glucose abnormal</i> if clarification cannot be obtained.	
000681				95










MedDRA     Medication Errors (cont)     Medication error <u>with</u> clinical consequences			
Reported	LLT Selected	Comment	
Patient was administered wrong drug and experienced hypotension	Wrong drug administered Hypotension		
Insulin was given using the wrong syringe resulting in the administration of an overdose. The patient developed hypoglycaemia.	Drug administered in wrong device Accidental overdose Hypoglycaemia	If an overdose is reported in the context of a medication error, the more specific term <i>LLT</i> <i>Accidental overdose</i> can be selected	
000681			


•		Medication or <u>without</u> clinic	× ×	, ,
	Reported	LLT Selected	Preferred Option	
	Medication was given intravenously instead	Intramuscular formulation administered by other route	~	
	of intramuscularly without any adverse effect	Intramuscular formulation administered by other route		
		No adverse effect		
000681				100


Important to medication e	be reported as an adverse event but to be recorded in periodic safety reports			
Reported	LLT Selected	Comment		
Pharmacist notices the names of two dr look similar and is concerned that this r result in a medicati error	Circumstance or nay information capable c	information about the nature of the potential medication		























Concept	Intentional?	By Whom?	Therapeutic Use?	Additional Sections in this Document
Misuse	Yes	Patient/consumer	Yes*	3.16.1
Abuse	Yes	Patient/consumer	No	3.16.2
Addiction	Yes	Patient/consumer	No	3.16.3
Medication error	No	Patient/consumer or healthcare provider	Yes	3.15
Off label use	Yes	Healthcare provider	Yes	3.27
therap		may not always includ se may be similar to tl		

